

NATURAL VENTILATION

VENTS

Plastic

anjos

inspirer le bien-être

Vents

Plastic

Louvred

Slotted

Adjustable model



PLASTIC VENTS

- Made of white ASA
- Other colours for for some models : beige, bronze, light oak, golden oak, dark oak, grey, dark grey and black
- Surface-mountable or flush-mountable
- Adjustable model


Presentation



These ASA vents are suitable for indoor and outdoor use.

Louved vents

1- RM 30 125 plastic vents:




Our **RM 30 louvred vents** are made of white or sipo mahogany ASA and may be fitted with a fly screen (**GAM**). Connection diameter: 125 mm.

Installation :
Fit inside dia. 125 mm ducts.

| Prod. Code | S (cm ²) | Code |
|------------|----------------------|-------------|
| RM 30 | 60 | 7373 |
| RM 30 GAM | 60 | 7374 |

2- R 30 man 80 to 125 plastic vents:




Our **R 30 louvred vents** are made of white ASA and fit over collars. Connection diameter: 100 to 125 mm.

Installation:
Fit inside dia. 125 mm ducts.

| Prod. Code | S (cm ²) | Code |
|--------------|----------------------|-------------|
| R 30 MAN 99 | 45 | 6451 |
| R 30 MAN 110 | 45 | 6452 |
| R 30 MAN 116 | 45 | 6453 |
| R 30 MAN 125 | 45 | 6454 |

3- GAE 100 to 200 plastic vents:



| RAL | 9016 | 1013 | 8019 | 8003 | 8024 | 7035 | 7011 | 9011 |
|-----|-------|-------|--------|------------|----------|------|-----------|-------|
| | | | | | | | | |
| | White | BEige | BRonze | Golden Oak | Dark Oak | GRey | Dark Grey | BLack |
| | | BE | BR | CD | CF | GR | GF | NO |



See below if ordering a colour other than white.

Our **GAE louvred vents** are made of ASA (possibility of other colours) and fitted with clips to hold them inside ducts. Connection diameter: 100 to 200 mm.

Dia. 100 and 125 mm GAE can be fitted with polystyrene anti-insect grille (**GAM**).

Installation:

Push fit GAE with clips into duct.

| Prod. Code | S (cm ²) | W x H (mm) | Code |
|---------------------|----------------------|------------|-------------|
| GAE 100 + clips | 40 | 125 x 125 | 6472 |
| GAE 125 + clips | 60 | 150 x 150 | 6473 |
| GAE 150 + clips | 70 | 185 x 185 | 6474 |
| GAE 160 + clips | 70 | 185 x 185 | 6475 |
| GAE 200 + clips | 100 | 235 x 235 | 6476 |
| GAE 100 GAM + clips | 40 | 125 x 125 | 6462 |
| GAE 125 GAM + clips | 60 | 150 x 150 | 6463 |

The above codes refer to white-coloured products. To order a different colour, add the two letters of the desired corresponding colour to the end of the standard product code.

4- GEM 100 and 125 plastic vents :



| RAL | 9016 | 1013 | 8019 | 8003 | 8024 | 7035 | 7011 | 7016 | 9011 |
|-----|-------|-------|--------|------------|----------|------|-----------|---------------|-------|
| | | | | | | | | | |
| | White | BEige | BRonze | Golden Oak | Dark Oak | GRey | Dark Grey | G7 anthracite | BLack |
| | | BE | BR | CD | CF | GR | GF | NO | NO |



See below if ordering a colour other than white.

Our **GEM louvred vents** are made of white ASA and UV resistant (possibility of other colours). The lip gasket ensures a tight seal and fit.



Installation:

Push fit GEM into dia. 100 or 125 mm ducts.

| Prod. Code | S (cm ²) | W x H (mm) | Code |
|------------|----------------------|------------|-------------|
| GEM 100 | 41 | 150 x 150 | 4204 |
| GEM 125 | 74 | 150 x 150 | 4205 |

The above codes refer to white-coloured products. To order a different colour, add the two letters of the desired corresponding colour to the end of the standard product code.

5- AV plastic vents:



Our **AV louvred vents** are made of white ASA and may be used indoors and out.

May be fitted with a fly screen (**GAM**).


Installation:

Fit with two screws inside 255 x 85 mm slots.

| Prod. Code | S (cm ²) | Code | |
|-------------|----------------------|-------------|-------------|
| | | Standard | + GAM |
| AV 270 x100 | 115 | 6458 | 6459 |

Slotted vents

1- P-type plastic vents 100 to 200:



Our **P slotted vents** are made of white ASA and are for indoor use only. May be fitted with a fly screen (**GAM**).


Installation:

Vent alone : for surface-mounting with two screws.

Framed vent : for grouting in masonry (H × 100 mm slot). Snap into place in the frame via two clips.

| Prod. Code | Width × Height (mm) | S (cm ²) | H (mm) | Code | | | |
|------------|---------------------|----------------------|--------|----------|-------|-------|-------------|
| | | | | Standard | + GAM | Frame | Frame + GAM |
| P 100 | 130 x 130 | 60 | 100 | 6480 | 6483 | 6490 | 6493 |
| P 150 | 130 x 180 | 90 | 150 | 6481 | 6484 | 6491 | 6494 |
| P 200 | 130 x 230 | 120 | 200 | 6482 | 6485 | 6492 | 6495 |

2- PM adjustable vents 100 to 200:



Our **PM adjustable vents** are made of ASA and consist of a white P-type slotted vent and a groutable frame containing two dampers to control the flow of air.

Bottom lever for partial or complete closure of the flow of air.

Installation:

Vertically or horizontally on a vertical wall. Grout the frame in masonry (H × 100 mm slot). Snap the grille into the frame with the two clips.

| Prod. Code | S (cm ²) | H (mm) | Code |
|-------------------------|----------------------|--------|------|
| Aérateur réglable PM100 | 0/60 | 100 | 6496 |
| Aérateur réglable PM150 | 0/90 | 150 | 9497 |
| Aérateur réglable PM200 | 0/120 | 200 | 9498 |